

THE PUREST AIR EXPERIENCE.



FABER

FRANKE'S AIR EXPERT

COLLECTION 2022/23





FRANKE'S AIR EXPERT.

At Faber, we are proud of our significant heritage.

We invented the first hood in 1955.

Since 1958, we have been offering hoods and air treatment solutions that meet consumer's needs and respect the environment.

Since 2005, we have been the **Air Expert of the Franke Group**, which for over 100 years stands for high quality, innovative engineering and exceptional design. Its recipe for success: building on traditions while creating new things. Together, we have grown successfully over all these years.

In 2021, Franke and Faber brands both became part of **Franke Home Solutions division**, a logical step to expand the Group's presence in the kitchen and conquer new territories together. By joining forces, we are making even better use of our know-how, experience and complementary skills.

We are now taking the opportunity to proudly announce our competence in air treatment and our expert position within the Franke Group.

It's the right moment to take this step forward, as this new endorsement, **Franke's Air Expert**, will enrich Faber and Franke with additional values. That's why, thanks to our leading expertise in air treatment, we are **Franke's Air Expert**.

IMPROVING AIR QUALITY SINCE 1955.

At Faber, we are proud of our significant heritage.

Air is part of our origin and we have a unique expertise in our sector. Over the years we've molded air into a thousand forms, using steel, plexiglass, glass and wood. We've turned the kitchen hood into an object of design. We've given it smart functions: light fittings, air conditioner and filters. In brief, we have connected it to the future.

We understand how the world is changing and we keep innovating to make tomorrow's air even purer.

We are proud to be part of the **Franke Group as its Air Expert.**

1955

Faber Plast is founded.



1958

The first Plexiglass hood.



1986

NOVA
The first chimney hood.



1995

AXIA
The first T Shape hood.



1999

M@STER
The first smart hood.



2004

MATRIX
The first hood that hangs like a picture.



2008

KLIMA
The first air conditioning hood.



2010

F-LIGHT GENERATION
The first chandelier hood.



2016

TALÌKA
The first totally vertical hood.



2018

GLOW
With Airplane Technology.



2019

GALILEO
The first hob extractor in A+++



2020

K-AIR
The first touch screen connected hood with air quality sensor.



2011

AIR HUB
Faber enters the world of purification.



2022

AIR HUB PORTABLE
The first Faber hygieniser with exclusive 4x4 technology.



A VISION OF GLOBAL REACH.

A vision of global reach.

Faber has a lot in common with air...
both are present all over the world.
Our task is to improve the air quality in your house
and on our planet.

Investing in the world.

Always growing, to serve more people.

Thinking long term.

All around competence: automation, robotics, IT,
total quality.

Innovating continuously.

Engineering research, advanced solutions, living benefits.

Designing the future.

Ergonomics, design, functionality, comfort, style
and wellbeing for the home.




OUR FIRST INSPIRATION: PEOPLE.

At Faber, we know how to look far but also very close. We look at people because they are our inspiration. Their needs and desires are the basic principles for which we strive to supply better and better products, time after time.

We study every single action people do in a kitchen, even the smallest one. This allows us to offer products realized in accordance with the needs of the people.

Because everything depends on the wellness of people.



SAFETY IS IN RELIABLE HANDS.

Reliability is a constant characteristic of all Faber products. When everything is working as it should, home is a more useful place. And when the air is pure and clean, home becomes a place of true functionality. That's what reliability means to us: making life better for years to come.

RECORDS IN EXCELLENCE

- The first **ISO 9001** Quality Certification in the field of kitchen hoods.
- **SGS Certificate of Excellence n°001**: a worldwide first.
- Integrated Management System for Quality (**ISO 9001:2015**), Occupational Health and Safety (**OHSAS 18001**) and the Environment (**ISO 14001**) certified by SGS.
- Products conforming to the strictest safety requirements and to standards **EN 61591** and **EN 60704-3**, tested in an authorized in-house laboratory, certified and guaranteed by leading international bodies.

IMQ The Italian Quality Mark

CE The EU Safety Mark

SEMKO International Safety Certification by Intertek ETL

UL The Quality Mark for the USA and Canada

CCC The Chinese Quality Mark

TABLE OF CONTENTS

WALL

STILO	26
BELLA	30
DIAMANTE	31
DAMA	32
NOVA PRO	36
CLASSICA PLUS	40
TENDER	44
TRATTO	45

INSERT

INCA HC	64
INCA SD	65
INCA PRO PLUS	66
INCA IN-LIGHT	70
INCA LUX	73
INCA SMART	74

INTEGRATED

<div>NEW</div> FLEXA	90
CRISTAL	93

DOWN DRAFT

SCIROCCO LUX	96
SCIROCCO PLUS	97

ISLAND & CEILING

STRATUS ISOLA	48
HIGH-LIGHT	52
DAMA ISOLA	56
BELLA ISOLA	57
GLASSY ISOLA	58

PRO & UNDER CABINET

CAMINO PRO	78
MAESTRALE 18	80
MAESTRALE 10	81
LEVANTE II	82
LEVANTE G	85
<div>NEW</div> LEVANTE E	86
OSTRO	87

ICONIC

ZOOM	100
CHLOE	104
CYLINDRA	106
CYLINDRA ISOLA	107





THE BREVA PRO IS READY TO BE CONNECTED WITH AN ELECTRONIC INTERFACE, AND USING THE **FABER CLOUD** ALLOWS YOU TO CONTROL ALL FUNCTIONS INTUITIVELY FROM A MOBILE DEVICE.

Pictured: Brevia Pro



Pictured: Tivano

UNLEASH YOUR TALENT NEW! PROFESSIONAL SERIES

The new Brevia Pro and Tivano hoods are the absolute avant-garde in terms of performance and design, representing Faber’s excellence.

Brevia is designed to be among the best in its class and is available in three sizes. Tivano significantly evolves the Under-The-Cabinet models, bridging the gap with the PRO versions. Designed for aspiring chefs or simply food enthusiasts, the new models are ideal for those looking for a premium product for their kitchen. The attention to detail makes them both aesthetically pleasing and capable of professional performance.



Higher Extraction Capacity
Top performance, thanks to the PRO blower that increases extraction by 12% and PRO baffles filters that ensure restaurant performance. The removable grease rail guarantees easy cleanability.

THE IDEAL SOLUTION FOR YOUR **HOME**



**PERIMETER ASPIRATION:
EXCLUSIVE TO FABER
TECHNOLOGY, CREATING
PURER AIR WITH MORE
EFFICIENT EXTRACTION**



**FABER HOODS HAVE A LOWER
ENVIRONMENTAL IMPACT
WITH LED LIGHTING AND
ENERGY-EFFICIENT
CONSUMPTION OF THE MOTOR.**



**THANKS TO THE FABER
CLOUD, YOU CAN MANAGE
YOUR HOOD ON ANY
MOBILE DEVICE**
(AVAILABLE ON BREVA MODEL)



**HOODS EQUIPPED WITH THE
SMARTEST FEATURES, TIMERS,
REMOTE CONTROLS AND
CONNECTION TO THE HOME.**




NEW! REMOTE **MANAGEMENT** TOOL


AIR QUALITY IS ALWAYS UNDER CONTROL

The exclusive App is designed to manage the hood remotely from a mobile device, with simple and intuitive functions.

(Available on Brevia Models)



VARIABLE AIR **MANAGEMENT SYSTEM**




Adjusting CFM's to meet local building codes is easy with the Variable Air Management (VAM) feature on certain Faber models.

Our exclusive VAM technology allows you to adjust your hood to the most common CFM levels: 295, 395 or 600 class performance.

VAM aids in helping the installer set the speed permanently to a lower CFM based on local make up air codes.





HIGH EFFICIENCY
QUIETER OPERATION

THE **PERIMETER ASPIRATION** FUNCTION ACTIVATES CONTINUAL AIR FLOW TO EXTRACT COOKING FUMES.

LESS CONSUMPTION, MORE EFFICIENCY

PERIMETER ASPIRATION


Faber's exclusive Perimeter Aspiration was naturally inspired for superlative comfort and outstanding performance.

REAL POWER MAKES NO NOISE


Based on the study of aerodynamic flows inside the hood and targeted sound insulation, this Faber technology reduces noise at full power by 3dB(A).

The Perimeter Aspiration accelerates the airflow through a narrow gap, and the air slows down once inside the hood to eliminate cooking odors—no bad smells.


ADVANCED TECHNOLOGY FOR REAL **LIFE BENEFITS.**



The exclusive Faber Cloud app can be used to monitor the air quality in your kitchen by adjusting the settings of your hood at any time, even from any mobile device.



The energy-efficient Energy Motor allows for longer duct runs, improving performance, reducing noise and giving you greater installation options.




For increased installation options and better energy efficiency, Vari-Duct allows air to be vented via the top or back of a hood.



The ADA compliant wireless remote conveniently controls all the hood's features.




Filter saturation alarm: warns you when it is time to clean the grease filter.




Designed to deal with even the strongest cooking aromas, the Intensive Speed function activates maximum extraction power for 10 minutes.



Keeping kitchens fresh and odor free around the clock, the 24 Hour feature automatically turns the hood on for 10 minutes every hour.




By drawing air through a narrowed channel, Perimeter Aspiration increases suction and reduces noise without increasing energy consumption.




Allows for higher performance levels, improves efficiency and reduces air noise.




Automatic shutdown delay: postpones the motor shutdown to eliminate residual odors completely.




Combining the function of a hood with a light fitting. The hood descends towards the cooktop to optimize suction and then rises back to the ceiling once cooking odors have been extracted.




For faster, hassle-free fitting, Easy Cube makes installing and levelling hoods so much simpler.




VAM (Variable Air Management System) features enable you to permanently set extraction speeds in line with local building codes.



More durable, brighter and energy-efficient, cool to touch LED Lights offer exceptional performance compared to standard bulbs.



Dimmable light: at the touch of a button the light is dimmed down and can be left on for extended time with minimal energy consumption.



Helping increase airflow through the hood, our Pro Motor delivers more powerful extraction to take care of even the strongest cooking odors.



The exclusive Easy Snap clip system is designed for an effortless installation of cabinet mounted hoods.



The single-piece Seamless Chimney is easier to install, easier to clean and offers a more refined look.



WALL HOODS

STILO	26
BELLA	30
DIAMANTE	31
DAMA	32
NOVA PRO	36
CLASSIC PLUS	40
TENDER	44
TRATTO	45



STILO SILENT AND PRECIOUS AS PURE AIR

Stilo is one of the quietest T Shape hoods and is guaranteed to amaze for its high performance and low noise. The hood's stylish design conceals FABER's exclusive VAM technology, allowing permanent setting of extraction speed.


Maximum comfort, minimum energy consumption, and complete freedom to enjoy your home thanks to a continuous exchange of air extraction for 10 minutes activated by the Intensive Speed Function.






VARIABLE AIR MANAGEMENT
Easily set extraction speeds in line with building codes through the soft touch control panel.

A PERFECT BALANCE OF STYLE AND PERFORMANCE
A classic T Shape wall hood with a host of features. The quiet and efficient Stilo is so smart that it will even tackle lingering food odors after the hood is switched off with the Delayed Shut-off feature.



STILO



MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

STIL24SSV2	24" Stainless Steel	295/395/600 CFM
STIL30SSV2	30" Stainless Steel	295/395/600 CFM
STIL36SSV2	36" Stainless Steel	295/395/600 CFM
STIL48SSV2	48" Stainless Steel	295/395/600 CFM


FEATURES	PERFORMANCE	ACCESSORIES (sold separately)
----------	-------------	-------------------------------

Dimensions	
Ceiling Height	See page 111
Canopy Depth-Height	18 ½" D x 2 ¾" H
Ducting	
Type	Ducted/ Ductless with DUCT4
Duct Size	Top 6" Round
Lighting	
Type	Energy-Efficient LED
# of Bulbs	Two- 1 Watt - 1 Level
Grease Filters	
Filter Type	Mesh
Dishwasher Safe	Yes


Motor	
No. of Fan Speeds	4 Speed
Motor Class	295/395/600
Variable Air Management	Ability to set to 295, 395, 600 CFM
Display	
Controls	Electronic with White LED
Intensive Speed	10 Minutes
Delay Shut-off	15 Minutes
Other	
ADA Complaint	With Remote Control
Remote Control	Purchase Separately
Power Cord	Included

- HIGH3**
High Ceiling Kit Stainless (up to 11')
- DUCT4**
Ductless Conversion Kit
- FILTER2**
Replacement Charcoal Filter
- MUDAMPER6**
6" Make-up Air Kit
- MUDAMPER8**
8" Make-up Air Kit
- REMORIG**
Wireless Remote Control
- WIREBOX**
Fixed Wiring Box

A simple T Shape design equipped with some outstanding features. With stylish LED controls, quiet performance, and powerful extraction, this hood delivers beyond expectations.



BELLA




MODEL	SIZE/MATERIAL	MOTOR CLASS
BELA30SS600-B	30" Stainless Steel	600 CFM PRO
BELA36SS600-B	36" Stainless Steel	600 CFM PRO

FEATURES		PERFORMANCE		ACCESSORIES (sold separately)	
Dimensions		Motor		HIGH3	
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit Stainless (up to 11')	
Canopy Depth-Height	21 ¼" D x 2 ¾" H	Motor Class	PRO 600 Metal Impellers	DUCT4	
Ducting		Display		Ductless Conversion Kit	
Type	Ducted/Ductless with DUCT4	Controls	8 Button Digital LED	FILTER2	
Duct Size	Top 6" Round	Intensive Speed	6 Minutes	Replacement Charcoal Filter	
Lighting		Delay Shut-off	30 Minutes	CFMRED	
Type	Energy-Efficient LED	Other		CFM Reducer Kit 300 CFM	
# of Bulbs	Two - 1 Watt - 2 Level	ADA Compliant	With Remote Control	CFMRED2	
Grease Filters		Remote Control	Purchase Separately	CFM Reducer Kit 400 CFM	
Filter Type	Stainless Steel Mesh	Power Cord	Included	MUDAMPER6	
Dishwasher Safe	Yes			6" Make-up Air Kit	
Filter Wash Indicator	Yes			MUDAMPER8	
				8" Make-up Air Kit	
				REMORIG	
				Wireless Remote Control	
				WIREBOX	
				Fixed Wiring Box	



The streamlined Diamante hood offers an attractive alternative to other canopy hoods. This powerful, easy-to-install hood was built to perform, with diamond-cut corners – a stunning detail set to make any kitchen shine.



NOTE: SHOWN WITH DUCTLESS KIT



MODEL	SIZE/MATERIAL	MOTOR CLASS
DIAM30SS	30" Stainless Steel	600 CFM PRO
DIAM36SS	36" Stainless Steel	600 CFM PRO
DIAM48SS	48" Stainless Steel	600 CFM PRO

FEATURES		PERFORMANCE		ACCESSORIES (sold separately)	
Dimensions		Motor		HIGHDIAM	
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 10' 8"	
Canopy Depth-Height	22" D x 3 3/4" H	Motor Class	PRO 600 Metal Impellers	DUCTDIAM	
Ducting		Display		Ductless Conversion Kit	
Type	Ducted/ Ductless with DUCTDIAM	Controls	Digital LED	FILTER2	
Duct Size	Top 6" Round	Intensive Speed	10 Minutes	Replacement Charcoal Filter	
Lighting		Delay Shut-off	30 Minutes	CFMRED	
Type	Halogen	Other		CFM Reducer Kit 300 CFM	
# of Bulbs	Two -20 Watt (30") Three - 20 Watt (36", 48") 2 Level	ADA Compliant	No	CFMRED2	
Grease Filters		Fixed Wiring Box	Included	CFM Reducer Kit 400 CFM	
Filter Type	Stainless Steel Baffle	MUDAMPER6			
Dishwasher Safe	Yes	6" Make-up Air Kit			
Easy Cube Mounting		MUDAMPER8			
Yes		8" Make-up Air Kit			






LED LIGHTS

Brighter and energy-efficient, cool to touch LED Lights offer exceptional lighting to the cooktop.

ATTRACTIVE, SLIM, FEATURE-PACKED DESIGN
Slim, seamless, stylish - this Energy-Efficient canopy hood will look right in any home. Designed for quiet running, it's easy to install and simple to operate, thanks to the optional remote control.



DAMA



MODEL	SIZE/MATERIAL	MOTOR CLASS
DAMA30SSV	30" Stainless Steel	295/395/600 CFM
DAMA36SSV	36" Stainless Steel	295/395/600 CFM


FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		HIGH3 High Ceiling Kit to 11'
Ceiling Height	See page 111	No. of Fan Speeds	4 Speed	DUCT4 Ductless Conversion Kit
Canopy Depth-Height	20" D x 6 9/16" H	Motor Class	295/395/600	FILTER2 Replacement Charcoal Filter
Ducting		Variable Air Managment	Ability to set to 295, 395, 600 CFM	MUDAMPER6 6" Make-up Air Kit
Type	Convertible with DUCT4	Display		MUDAMPER8 8" Make-up Air Kit
Duct Size	Top 6" Round	Controls	Electronic with White LED	REMORIG Wireless Remote Control
Lighting		Intensive Speed	10 Minutes	WIREBOX Fixed Wiring Box
Type	Energy-Efficient LED	Delay Shut-off	15 Minutes	
# of Bulbs	Two 5 W - 1 level	Other		
Grease Filters		ADA Compliant	With Remote Control	
Filter Type	SS Baffle	Remote Control	Purchase Separately	
Dishwasher Safe	Yes	Power Cord	Included	
Easy Cube Mounting				
	Yes			





PRO MOTOR
Faber Pro Motor is equipped with metal impellers that deliver more powerful extraction to take care of even the strongest cooking odors.

VERSATILE, POWERFUL, BEAUTIFUL
The versatile Nova Pro pairs natural flexibility with excellent functionality and distinctive looks. Its clean vertical lines and wrapped polished stainless edges make it a practical and beautiful choice for any kitchen style.




NOVA PRO



MODEL	SIZE/MATERIAL	MOTOR CLASS
NOPR30SSV	30" Stainless Steel	295/395/600 CFM PRO
NOPR36SSV	36" Stainless Steel	295/395/600 CFM PRO

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		HIGH3	
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 11' 8"	
Canopy Depth-Height	21 9/16" D x 10 3/8" H	Motor Class	PRO 295/395/600 Metal Impellers	DUCT5	
Ducting		Variable Air Management	Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Type	Ducted/Ductless with DUCT5	Display		FILTER1	
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	Controls	Electronic with White LED	Replacement Charcoal Filter	
Lighting		Intensive Speed	10 Minutes	FILTER1LL2	
Type	Energy-Efficient LED	Delay Shut-off	10 Minutes	Long Lasting Charcoal Filter	
# of Bulbs	Two - 5 Watt - 1 level	Other		MUDAMPER6	
Grease Filters		ADA Compliant	With Remote Control	6" Make-up Air Kit	
Filter Type	Stainless Steel Baffle	Remote Control	Purchase Separately	MUDAMPER8	
Dishwasher Safe	Yes	Power Cord	Included	8" Make-up Air Kit	
				REMORIG	
				Wireless Remote Control	
				WIREBOX	
				Fixed Wiring Box	

FABER / 3



CLASSICA PLUS MODERN TAKE ON A CHIMNEY HOOD

Constructed with durable, heavy-duty stainless steel, the Classica Plus is the perfect combination of contemporary design and functions.


It features a beautiful pyramid sculpted design with two modern LED lights, and the Classica Plus perfectly illuminates the cooking space below.





DELAY SHUT-OFF
Faber's latest extraction technology. This includes an automatic delayed motor function that allows the complete elimination of any residual smells.

PREMIUM LOOKS PLUS SO MUCH MORE
A classic seamless design meets premium features in the endearing Classica Plus, an excellent addition to any kitchen. Easy to use, quiet to run, energy-efficient, and powerful enough to keep the air fresh whatever's on the menu.



CLASSICA PLUS





MODEL	SIZE/MATERIAL	MOTOR CLASS
CLPL30SSV	30" Stainless Steel	295/395/600 CFM
CLPL36SSV	36" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		HIGHCLPL	
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 11' 8"	
Canopy Depth-Height	18 ½" D x 9 1⅞" H	Motor Class	295/395/600	DUCTCLPL	
Ducting		Vairable Air Management	Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Type	Ducted/Ductless with DUCTCLPL	Energy-Efficient Motor	Yes	FILTER1	
Duct Size	Top 6" Round	Display		Replacement Charcoal Filter	
Lighting		Controls	Electronic with White LED	FILTER1LL2	
Type	Enegy Efficient LED	Intensive Speed	10 Minutes	Long Lasting Charcoal Filter	
# of Bulbs	Two- 1 Watt - 1 level	Delay Shut-off	15 Minutes	MUDAMPER6	
Grease Filters		Other		6" Make-up Air Kit	
Filter Type	Mesh	ADA Compliant	With Remote Control	MUDAMPER8	
Dishwasher Safe	Yes	Remote Control	Purchase Separately	8" Make-up Air Kit	
		Power Cord	Included	REMORIG	
				Wireless Remote Control	
				WIREBOX	
				Fixed Wiring Box	

FABER / 4

Tender is the perfect alternative to a standard canopy with its seamless and stunning design. Not only is it easier to keep clean, but the distinctively different Tender is easy to operate with the electronic push-button display panel.





TENDER

MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

TEND30SSV	30" Stainless Steel	295/395/600 CFM
TEND36SSV	36" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	HIGHTNDR High Ceiling Kit Stainless to 11' 3"
Ceiling Height	See page 111	No. of Fan Speeds	4
Canopy Depth-Height	19 2½" D x 9 ¾" H	Motor Class	295/395/600
Ducting		Vairable Air Management	Ability to set to 295, 395, 600 CFM
Type	Ducted/Ductless with DUCTCLPL	Energy-Efficient Motor	Yes
Duct Size	Top 6" Round	Display	
Lighting		Controls	Electronic with White LED
Type	Energy-Efficient LED	Intensive Speed	10 Minutes
# of Bulbs	Two -1 Watt - 1 level	Delay Shut-off	15 Minutes
Grease Filters		Other	
Filter Type	Mesh	ADA Compliant	With Remote Control Purchase Separately
Dishwasher Safe	Yes	Remote Control	
		Power Cord	Included

The Tratto has curved glass with stainless steel and two widths to choose from: either a 30 in. wide model or a 36 in. wide version. The touch control operation has two LED lights at the base of the hood to light up the surface below.



TRATTO

MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

TRAT30SSV	30" Glass & SS	295/395/600 CFM
TRAT36SSV	36" Glass & SS	295/395/600 CFM

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	HIGH3 High Ceiling Kit to 11'
Ceiling Height	See page 111	No. of Fan Speeds	4
Canopy Depth-Height	18 ½" D x 1 1¼" H	Motor Class	295/395/600
Ducting		Vairable Air Management	Ability to set to 295, 395, 600 CFM
Type	Ducted/Ductless with DUCT4	Energy-Efficient Motor	Yes
Duct Size	Top 6" Round	Display	
Lighting		Controls	Electronic with White LED
Type	Energy-Efficient LED	Intensive Speed	10 Minutes
# of Bulbs	Two 1 - Watt - 1 level	Delay Shut-off	15 Minutes
Grease Filters		Other	
Filter Type	Mesh	ADA Compliant	With Remote Control Purchase Separately
Dishwasher Safe	Yes	Remote Control	
		Power Cord	Included



ISLAND & CEILING HOODS


STRATUS ISOLA	48
HIGH-LIGHT	52
DAMA ISOLA	56
BELLA ISOLA	57
GLASSY ISOLA	58





PERIMETER ASPIRATION
The Perimeter Aspiration extraction panel reduces the perceived sound by 25%. This method of extraction guarantees optimized effectiveness by drawing air through a narrowed channel and decreasing immediately inside the hood, in which it is then easily expelled without increasing energy consumption.

A DISCREET PRESENCE IN THE KITCHEN
The Stratus ceiling hood is a versatile built-in design that blends seamlessly into the kitchen ceiling to provide powerful extraction as well as style.



STRATUS ISOLA

MODEL	SIZE/MATERIAL	MOTOR CLASS
STRTIS36WHNB	36" White Glass	No Blower
STRTIS48WHNB	48" White Glass	No Blower
STRTIS36SSNB	36" Stainless Steel	No Blower
STRTIS48SSNB	48" Stainless Steel	No Blower

SELECT A BLOWER	
IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)

Note: If desired you may use your own external blower, purchased separately, rated 2.8 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	FILTER1 Charcoal Filter Kit
Ceiling Height	See page 111	No. of Fan Speeds	4
Ducting		Perimeter Aspiration	Yes
Type	Ducted/Ductless with FILTER1/FILTER1LL2	Remote Blower	Optional
Duct Size	6" Round 10" 4-Way Venting	Display	
Lighting		Controls	Digital LED
Type	Energy-Efficient LED	Intensive Speed	10 Minutes
# of Bulbs	Four- 1 Watt - 2 level	Delay Shut-off	30 Minutes
Stainless	Two - 3 Watt - 2 level	Other	
White Glass	Light Bars	ADA Compliant	With Remote Control
Light Dimmer	Yes	Remote Control	Included
Grease Filter		Fixed Wiring Box	Included
Filter Type	Mesh		
Dishwasher Safe	Yes		
Filter Alarm	Yes		





Stainless Steel




White Matte



EASY-TO-USE
Equipped with an easy-to-use remote control, the High-Light has numerous functions. These include Perimeter Aspiration that accelerates air flow and reduces noise. Additionally, the ceiling hood has a timer setting to clear unwanted odors after cooking.

WHERE INSPIRATION MEETS ASPIRATION
The High-Light is an innovative addition to Faber’s collection of ceiling-mounted hoods. It features smart energy-saving LED lighting and Perimeter Aspiration technology, increasing airflow while reducing noise levels.



HIGH-LIGHT



MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

HILTIS36SSNB	36" Stainless Steel	No Blower
HILTIS36WHNB	36" White Matte	No Blower


PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)

Note: If desired you may use your own external blower, purchased separately, rated 2.7 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	FILTER1 Charcoal Filter Kit
Ceiling Height	See page 111	No. of Fan Speeds	4
Ducting		Perimeter Aspiration	Yes
Type	Ducted/Ductless with FILTER1/FILTER1LL2	Remote Blower	Optional
Duct Size	6" Round 10" 4-Way Venting	Display	
Lighting		Controls	Digital LED
Type	Energy-Efficient LED Panel	Intensive Speed	10 Minutes
# of Bulbs	3 Watt - 2 level	Delay Shut-off	30 Minutes
Light Dimmer	Yes	Other	
Grease Filter		ADA Compliant	With Remote Control
Filter Type	Mesh	Remote Control	Included
Dishwasher Safe	Yes	Fixed Wiring Box	Included
Filter Alarm	Yes		
			FILTER1LL2 Long Lasting Charcoal Filter
			FLANGE10 10" Blower Flange (Required with AXP250)
			FLANGE3 10" round to 3 1/4" x 10" Flange
			MUDAMPER6 6" Make-up Air Kit
			MUDAMPER8 8" Make-up Air Kit
			MUDAMPER10 10" Make-up Air Kit

A value island hood with premium style accents, the seamless, feature-packed Dama Isola delivers in every way.




DAMA ISOLA



MODEL	SIZE/MATERIAL	MOTOR CLASS
DAMAI36SSV	36" Stainless Steel	295/395/600 CFM
DAMAI42SSV	42" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		HIGH2 High Ceiling Kit to 10' 10" DUCT2 Ductless Conversion Kit FILTER2 Replacement Charcoal Filter MUDAMPER6 6" Make-up Air Kit MUDAMPER8 8" Make-up Air Kit REMORIG Wireless Remote Control
Ceiling Height	See page 111	No. of Fan Speeds	4	
Canopy Depth-Height	27 ½" D x 5 1/16" H	Motor Class	295/395/600	
Ducting		Variable Air Management	Ability to set to 295, 395, 600 CFM	
Type	Ducted/Ductless with DUCT2	Energy-Efficient Motor	Yes	
Duct Size	Top 6" Round	Display		
Lighting		Controls	Electronic with White LED	
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	
# of Bulbs	Four - 5 Watt - 1 level	Delay Shut-off	15 Minutes	
Grease Filters		Other		
Filter Type	Stainless Steel Baffle	ADA Compliant	With Remote Control	
Dishwasher Safe	Yes	Remote Control	Purchase Separately	
Seamless Welded Chimney		Power Cord	Included	
		Fixed Wiring Box	Yes	

Whatever you’re looking for in a hood, the T Shape Bella Isola is sure to deliver. This hood has it all with advanced features, superior style, and impressive performance.



BELLA ISOLA



MODEL	SIZE/MATERIAL	MOTOR CLASS
BELAI36SS600-B	36" Stainless Steel	600 CFM PRO
BELAI42SS600-B	42" Stainless Steel	600 CFM PRO
BELAI48SS600	48" Stainless Steel	600 CFM PRO


FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		HIGH2 High Ceiling Kit to 10' 6"
Ceiling Height	See page 111	No. of Fan Speeds	4	
Canopy Depth-Height	26 5⁄8" D x 2 3⁄8" H	Motor Class	PRO 600 Metal Impellers	
Ducting		Display		
Type	Ducted/Ductless with DUCT2	Controls	8 Button With LED Display	DUCT2 Ductless Conversion Kit FILTER2 Replacement Charcoal Filter CFMRED CFM Reducer Kit 300 CFM CFMRED2 CFM Reducer Kit 400 CFM MUDAMPER6 6" Make-up Air Kit MUDAMPER8 8" Make-up Air Kit
Duct Size	Top 6" Round	Intensive Speed Delay Shut-off	6 Minutes 30 Minutes	
Lighting		Other		
Type # of Bulbs	Energy-Efficient LED Four - 1 Watt - 2 level	ADA Compliant	With Remote Control Purchase Separately	
Grease Filters		Remote Control	Fixed Wiring Box	
Filter Type	SS Mesh			
Dishwasher Safe	Yes			
Anti-Pollution Mode	Yes			
Seamless Welded Chimney	Yes			
Quick Island Mounting	Yes			

FABER / 5


A BEAUTIFUL FOCAL POINT FOR ANY KITCHEN
The Glassy Isola is a modern island range hood made from quality stainless steel and glass – perfect for a minimalist kitchen design.

This island range hood is extremely powerful, reaching 600CFM. This makes it ideal for a large kitchen or open-plan living.

Controlled with electronic buttons, the Glassy Isola features an intensive speed function and delayed shut-off.



GLASSY ISOLA



MODEL	SIZE/MATERIAL	MOTOR CLASS
GLASIS36SSV	36" Glass & Stainless	295/395/600 CFM

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	HIGH2 High Ceiling Kit to 10' 6"
Ceiling Height	See page 111	No. of Fan Speeds	4
Canopy Depth-Height	27 9/16" D x 1 7/8" H	Motor Class	295/395/600
Ducting		Variable Air Management	Ability to set to 295, 395, 600 CFM
Type	Ducted/Ductless with DUCT2	Energy-Efficient Motor	Yes
Duct Size	Top 6" Round	Display	
Lighting		Controls	Electronic with LED
Type	LED	Intensive Speed Delay Shut-off	10 Minutes 15 Minutes
# of Bulbs	Four - 1 Watt - 1 level	Other	
Grease Filters		ADA Compliant	With Remote Control
Filter Type	Mesh	Remote Control	Purchase Separately
Dishwasher Safe	Yes		
Seamless Welded Chimney			
	Yes		
			DUCT2 Ductless Conversion Kit
			FILTER2 Replacement Charcoal Filter
			MUDAMPER6 6" Make-up Air Kit
			MUDAMPER8 8" Make-up Air Kit
			REMORIG Wireless Remote Control
			BAFFLE2 Baffle Grease Filters



INSERT

INSERT

INSERT HOODS

INCA HC	64
INCA SD	65
INCA PRO PLUS	66
INCA IN-LIGHT	70
INCA LUX	73
INCA SMART	74


BEAUTIFUL BUT POWERFUL

This timeless discreet insert hood is made of stainless steel with two modern LED lights to sufficiently light up the cooking surface below.

The Inca SD features intensive speed and a powerful pro-motor with restaurant-style baffle filters that eliminate any cooking aroma. With the Easy Snap clip system, this insert hood installs effortlessly.



The Inca HC has a stylish stainless steel finish and stainless steel filters, powerful to clear any odors from the cooking area below. For added versatility, add a charcoal filter for recirculating mode.



NOTE: 29" MODEL SHOWN


INCA HC



MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------


INHC29SSV	29" Stainless Steel	295/395/600 CFM
INHC35SSV	35" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		LINE30ST 30" SS Liner (16 - 17 7/8" D) - Use with INHC29 LINE36ST 36" SS Liner (16 - 17 7/8" D) - Use with INHC29 LINE36PT 36" SS Liner (16 - 17 7/8" D) - Use with INHC35 FILTER1 Charcoal Filter Kit FILTER1LL2 Long Lasting Charcoal Filter Kit REMORIG Wireless Remote Control WIREBOX Fixed Wiring Box MUDAMPER6 6" Make-up Air Kit MUDAMPER8 8" Make-up Air Kit
Cabinet Cut Out 29"	27 5/8" W x 13 5/16" D	No. of Fan Speeds	4	
Cabinet Cut Out 35"	33 5/8" W x 13 5/16" D	Motor Class	295/395/600	
Height Inside Cabinet	12 15/16"	Variable Air Management	Ability to set to 295, 395, 600 CFM	
Ducting		Energy-Efficient Motor	Yes	
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Display		
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	Controls	Electronic W/ White LED	
Lighting		Intensive Speed Delay Shut-off	10 Minutes 15 Minute	
Type # of Bulbs	Energy-Efficient LED Two - 5 Watt - 1 level	Other		
Grease Filters		ADA Compliant	With Remote Control Purchase Separately	
Filter Type Dishwasher Safe	SS Mesh Yes	Remote Control		
Easy Snap Clip Installation		Power Cord	Included	



NOTE: 29" MODEL SHOWN

INCA SD



MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------


INSD29SSV	29" Stainless Steel	295/395/600 CFM
INSD35SSV	35" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		LINE30ST 30" SS Liner (16 - 17 7/8" D) - Use with INSD29 LINE36ST 36" SS Liner (16 - 17 7/8" D) - Use with INSD29 LINE36PT 36" SS Liner (16 - 17 7/8" D) - Use with INSD35 FILTER1 Charcoal Filter Kit FILTER1LL2 Long Lasting Charcoal Filter Kit REMORIG Wireless Remote Control WIREBOX Fixed Wiring Box MUDAMPER6 6" Make-up Air Kit MUDAMPER8 8" Make-up Air Kit
Cabinet Cut Out 29"	27 5/8" W x 13 5/16" D	No. of Fan Speeds	4	
Cabinet Cut Out 35"	33 5/8" W x 13 5/16" D	Motor Class	PRO 295/395/600 Metal Impellers	
Height Inside Cabinet	12 1/16"	Variable Air Management	Ability to set to 295, 395, 600 CFM	
Ducting		Display		
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Controls	Electronic W/ White LED	
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	Intensive Speed Delay Shut-off	10 Minutes 15 Minute	
Lighting		Other		
Type # of Bulbs	Energy-Efficient LED Two - 5 Watt - 1 level	ADA Compliant	With Remote Control Purchase Separately	
Grease Filters		Remote Control		
Filter Type	Pro stainless steel baffle			
Dishwasher Safe	Yes	Power Cord	Included	
Easy Snap Clip Installation				



**INDUSTRIAL STYLE
STAINLESS STEEL BAFFLES**
Inca Pro stainless steel hood filter is necessary for any professional kitchen, ensuring that grease is deposited directly into the baffles. The grease filters are dishwasher safe or can easily be cleaned with soap and water or degreaser.

THE PROFESSIONAL CHOICE
Available in a choice of sizes, the Inca Pro Plus is an all-in-one pro range hood liner. Designed for custom cabinets, it delivers the perfect mix of powerful performance, unique design and exceptional functionality.



INCA PRO PLUS



MODEL	SIZE/MATERIAL	MOTOR CLASS
INPL3019SSNB-B	30"Wx19" Stainless Steel	No Blower
INPL3619SSNB-B	36"Wx19" Stainless Steel	No Blower
INPL4219SSNB-B	42"Wx19" Stainless Steel	No Blower
INPL4819SSNB-B	48"Wx19" Stainless Steel	No Blower
INPL3622SSNB-B	36"Wx22" Stainless Steel	No Blower
INPL4822SSNB-B	48"Wx22" Stainless Steel	No Blower

PICK A BLOWER	
IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
IB1200	Internal Blower 1200 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (INLBKIT REQUIRED)

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	FILTER1 Charcoal Filter Kit
Cabinet Cut Out Width	28 5/8", 34 3/4", 40 3/4", 46 3/4"	No. of Fan Speeds	Variable
Depth	19 7/8" or 22 7/8"	Motor Class	300/400/ 900/1200
Height Inside Cabinet	11"	Pro Motor	600/1200
Ducting		Display	FILTER1LL2 Long Lasting Charcoal Filter
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Controls	Variable Speed
Duct Size	6" Round or 10" Round - Top	Other	INLBKIT In-Line Blower Connector (Required with AXP250)
Lighting		ADA Compliant	MUDAMPER6 6" Make-up Air Kit
Type	Energy-Efficient LED	Fixed Wiring Box	MUDAMPER8 8" Make-up Air Kit
# of Bulbs	Two - 5 Watt - 1 level		MUDAMPER10 10" Make-up Air Kit (900/1200 CFM)
Grease Filters		<p>*Use your own external blower, purchased separately, rated 4.2 amps maximum, suitable for use with solid state variable speed control. If you are using your own external blower with this hood, you need to order the INLBKIT to connect to the hood.</p>	
Filter Type	Pro Stainless Steel Baffle		
Dishwasher Safe	Yes		
Fixed Wiring Box	Yes		
Easy Snap Clip Installation	Clips Included		


FABER / 6




INCA IN-LIGHT SLEEK AND INNOVATIVE

Inca In-Light range hoods are a minimal contemporary style that radiate elegance in every detail. Its clean, essential lines integrate perfectly with the cabinetry. They conceal a powerful motor and refined extraction system to provide clean air.

Perimeter Aspiration is the technology that makes the kitchen quiet, efficient, and has a lower impact on the environment. An exclusive Faber technology forces air to speed up through a narrow gap around the panel's perimeter, purifying the air, reducing noise, and improving efficiency.






INCA IN-LIGHT



MODEL	SIZE/MATERIAL	MOTOR CLASS
INLT21SSV	21" Stainless Steel	295/395/600 CFM
INLT28SSV	28" Stainless Steel	295/395/600 CFM
INLT35SSV	35" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		LINE30ST	
Cabinet Cut Out 21"/ 28"	19 ½" / 26 ⅞" W x 10 ¼" D	No. of Fan Speeds	4	30" SS Liner (16 - 17 ⅞" D) Use with INLT28	
Cabinet Cut Out 35"	32 ⅞" W x 10 ¼" D	Motor Class	295/395/600	LINE36ST	
Height Inside Cabinet	13 ⅞"	Variable Air Management	Ability to set to 295, 395, 600 CFM	36" SS Liner (16 - 17 ⅞" D) Use with INLT28	
Ducting		Perimeter Aspiration	Yes	LINE36PT	
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Energy-Efficient Motor	Yes	36" SS Liner (16 - 17 ⅞" D) Use with INLT35	
Duct Size	Top 6" Round	Display		FILTER1	
Lighting		Controls	Electronic With White LED	Charcoal Filter Kit	
Type	LED Bar	Intensive Speed	10 Minutes	FILTER1LL2	
# of Bulbs	One - 3 Watt - 1 Level	Delay Shut-off	15 Minutes	Long Lasting Charcoal Filter	
Grease Filters		Other		WIREBOX	
Filter Type	Mesh	ADA Compliant	With Remote Control	Fixed Wiring Box	
Dishwasher Safe	Yes	Remote Control	Included	MUDAMPER6	
Easy Snap Clip Installation		Power Cord	Included	6" Make-up Air Kit	
				MUDAMPER8	
				8" Make-up Air Kit	
				LINSPT301228	
				30" Self Supporting Liner (17 ½" - 20 ½" D)	
				LINSPT361228	
				36" Self Supporting Liner (17 ½" - 20 ½" D)	
				<i>LINSPT301228 & LINSPT361228 For Use with INLT28</i>	



INCA LUX




MODEL	SIZE/MATERIAL	MOTOR CLASS
INLX21SSV	21" Stainless Steel	295/395/600 CFM
INLX28SSV	28" Stainless Steel	295/395/600 CFM
INLX35SSV	35" Stainless Steel	295/395/600 CFM

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		LINE30ST	
Cabinet Cut Out 21"/ 28"	19 ½" / 26 ⅞" W x 10 ¼" D	No. of Fan Speeds	4	30" SS Liner (16 - 17 ⅞" D) - Use with INLX28	
Cabinet Cut Out 35"	32 ⅞" W x 10 ¼" D	Motor Class	295/395/600	LINE36ST	
Height Inside Cabinet	13 ⅞"	Variable Air Management	Ability to set to 295, 395, 600 CFM	36" SS Liner (16 - 17 ⅞" D) - Use with INLX28	
Ducting		Perimeter Aspiration	Yes	LINE36PT	
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Energy-Efficient Motor	Yes	36" SS Liner (16 - 17 ⅞" D) - Use with INLX35	
Duct Size	Top 6" Round	Display		FILTER1	
Lighting		Controls	Electronic With White LED	Charcoal Filter Kit	
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	FILTER1LL2	
# of Bulbs	Two - 5 Watt - 1 Level	Delay Shut-off	15 Minutes	Long Lasting Charcoal Filter	
Grease Filters		Other		REMORIG	
Filter Type	Mesh	ADA Compliant	With Remote Control	Wireless Remote Control	
Dishwasher Safe	Yes	Remote Control	Purchase Separately	WIREBOX	
Installation Hardware		Power Cord	Included	Fixed Wiring Box	
				MUDAMPER6	
				6" Make-up Air Kit	
				MUDAMPER8	
				8" Make-up Air Kit	
				LINSPT301228	
				30" Self Supporting Liner (17 ½" - 20 ½" D)	
				LINSPT361228	
				36" Self Supporting Liner (17 ½" - 20 ½" D)	
				<i>LINSPT301228 & LINSPT361228 For Use with INLX28</i>	



Built-in to the cabinetry, this range hood gives you plenty of unobstructed cooking space. The Inca Smart has both a range hood and a stunning light feature to illuminate the area below with modern LED lights.



NOTE: DIMENSIONS FOR 400/600CFM




INCA SMART SS

MODEL	SIZE/MATERIAL	MOTOR CLASS
INSP28SS240	28" Stainless Steel	240 CFM
INSP28SS400	28" Stainless Steel	400 CFM
INSP28SS600	28" Stainless Steel	600 CFM

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	LINE30ST 30" SS Liner (16 - 17 7⁄8" D) LINE36ST 36" SS Liner (16 - 17 7⁄8" D) FILTER4 Charcoal Filter Kit (240 CFM Only) FILTER1 Charcoal Filter Kit (400/600 CFM Only) FILTER1LL2 Long Lasting Charcoal Filter Kit (400/600 CFM Only) WIREBOX Fixed Wiring Box (400/600 CFM Only) LINSPT301228 30" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D) LINSPT361228 36" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D)
Cabinet Cut Out	26 5⁄8" W x 10 1⁄2" D	No. of Fan Speeds	
Body Width/Depth	25 5⁄8" W x 10 1⁄4" D	Motor Class	
Height Inside Cabinet	7 1⁄6" -28SS240 12 3⁄4" -28SS400/600	Energy-Efficient Motor	
Ducting		Display	
Type	Ducted/ Recirculating with FILTER1/FILTERILL2 (SS400/600) FILTER4 (SS240)	Controls	Electronic With LED
Duct Size	Top 6" Round - SS400/600 Top 5" Round -SS240	Intensive Speed	10 Minutes
Lighting		Other	
Type	Energy-Efficient LED	ADA Compliant	No
# of Bulbs	Two- 4 Watt - 1 level	Power Cord Included	Yes
Grease Filters			
Filter Type	Mesh		
Dishwasher Safe	Yes		
Easy Snap Clip Installation			



The simple but classic shape of the Inca Smart makes it perfect for a contemporary style kitchen. The hood's design features a grey panel with energy efficient lighting and easily installs with the Easy Snap mounting clips.



INCA SMART GR

MODEL	SIZE/MATERIAL	MOTOR CLASS
INSM21GR240	21" Painted Gray	240 CFM
INSM28GR240	28" Painted Gray	240 CFM

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Speed	LINE30ST 30" SS Liner (16 - 17 7⁄8" D) LINE36ST 36" SS Liner (16 - 17 7⁄8" D) FILTER4 Charcoal Filter Kit LINSPT301228 30" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D) LINSPT361228 36" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D)
Cabinet Cut Out 21"	19 9⁄16" W x 10 1⁄2" D	No. of Fan Speeds	
Cabinet Cut Out 28"	26 9⁄16" W x 10 1⁄2" D	Motor Class	
Body Width/Depth	20 9⁄16" or 27 5⁄8" W x 10 1⁄4" D	Energy-Efficient Motor	
Height Inside Cabinet	7 1⁄6"	Display	
Ducting		Controls	Slider
Type	Ducted/ Recirculating with FILTER4	Other	
Duct Size	Top 5" Round	ADA Compliant	Separate Wall Switch Required
Lighting		Power Cord Included	Yes
Type	Energy-Efficient LED		
# of Bulbs	Two - 4 Watt - 1 level		
Grease Filters			
Filter Type	Mesh		
Dishwasher Safe	Yes		
Easy Snap Clip Installation			

LINSPT301228 & LINSPT361228 for use with INSM28GR240




PRO & UNDER CABINET HOODS

CAMINO PRO	78
MAESTRALE 18	80
MAESTRALE 10	81
LEVANTE II	82
LEVANTE G	85
LEVANTE E	86
OSTRO	87



SELF START
The intelligent sensor activates your hood automatically when the air temperature reaches 130°F.

THE PINNACLE OF PERFORMANCE
Camino Pro is a range hood that looks beyond your kitchen walls, opening up new horizons in design and redefining life in the home. But take nothing for granted! Despite its industrial design, this hood packs the performance needed. The pro-motor and stainless baffle filters deliver a powerful extraction system to guarantee clean air.



NOTE: DIMENSIONS FOR 36"

CAMINO PRO




MODEL	SIZE/MATERIAL	MOTOR CLASS
CAPR36SS600	36" Stainless Steel	600 CFM PRO
CAPR36SS1200	36" Stainless Steel	1200 CFM PRO
CAPR48SS1200	48" Stainless Steel	1200 CFM PRO


CHOOSE YOUR DUCT COVER	
CHIM2224	36" Camino Chimney 8' - 9' Ceiling
CHIM2248	36" Camino Chimney 9' - 11' Ceiling
CHIM3424	48" Camino Chimney 8' - 9' Ceiling
CHIM3448	48" Camino Chimney 9' - 11' Ceiling

FEATURES		PERFORMANCE		ACCESSORIES	
Dimensions		Motor		CFMRED	
Ceiling Height	See page 111	No. of Fan Speeds	4	CFM Reducer Kit 300 CFM	
Canopy Depth-Height	24" D x 18" H	Motor Class	PRO 600/1200 Metal Impellers	CFMRED2	
Ducting		Self Start Heat Sensor	Yes	CFM Reducer Kit 400 CFM	
Type	Ducted/ Recirculating with FILTER1/FILTERILL2	Display		MUDAMPER6	
Duct Size 600 CFM	Vari-Duct - 6" Round Top or Rear Vent	Controls	Electronic Rainbow Knob	6" Make-up Air Kit	
Duct Size 1200 CFM	Top Two - 6" Round or One - 10" Round	Intensive Speed Delay Shut-off	10 Minutes 10 Minutes	MUDAMPER8	
Lighting		Other		8" Make-up Air Kit	
Type	Energy-Efficient LED	ADA Compliant	No	MUDAMPER10	
# of Bulbs - 36"	Two - 5 Watt - 2 Level	Fixed Wiring Box	Yes	10" Make-up Air Kit	
# of Bulbs - 48"	Four - 5 Watt - 2 Level			FILTER1	
Light Dimmer	Yes			Replacement Charcoal Filter Kit (2 x 1200 CFM)	
Grease Filters				FILTERILL2	
Filter Type	Pro Stainless Steel Baffle			Long Lasting Charcoal Filter Kit (2 x 1200 CFM)	
Dishwasher Safe	Yes				

FABER / 7



This pro-style hood is constructed of stainless steel for lasting durability. The powerful 1200 CFM blower system exhausts the fumes and features three-speed motor control.




NOTE: DIMENSIONS FOR 1200CFM




MAESTRALE 18

MODEL	SIZE/MATERIAL	MOTOR CLASS
MAES3018SS600-B	30" Stainless Steel	600 CFM PRO
MAES3618SS600-B	36" Stainless Steel	600 CFM PRO
MAES3618SS1200-B	36" Stainless Steel	1200 CFM PRO
MAES4818SS1200-B	48" Stainless Steel	1200 CFM PRO

FEATURES	PERFORMANCE	ACCESSORIES
Dimensions	Speed	TELEMAES Telescopic Chimney Kit (12" - 23" H)
Canopy Depth-Height	No. of Fan Speeds	3
Ducting	Motor Class	PRO 600/1200 Metal Implellers
Type	Display	
Duct Size 600 CFM	Controls	Slider with LED Indicator
1200CFM*	Other	
Vari-Duct - Two - 6" Round Top or Rear Vent	ADA Compliant	With Separate Wall Switch
Lighting	Power Cord Included	Yes
Type		
Energy-Efficient LED		
# of Bulbs		
30-42"		
48"		
Grease Filters		
Filter Type		
Dishwasher Safe		
Stainless Steel Baffle		
Yes		
*Ducting 1200CFM Optional transitions two 6" round duct openings into one 10" round opening.		



The high-performance Pro Motor ensures the Maestrale 10 range hood can handle any amount of cooking day or night.



MAESTRALE 10

MODEL	SIZE/MATERIAL	MOTOR CLASS
MAES3010SS600-B	30" Stainless Steel	600 CFM PRO
MAES3610SS600-B	36" Stainless Steel	600 CFM PRO


FEATURES	PERFORMANCE	ACCESSORIES
Dimensions	Speed	TELEMAES Telescopic Chimney Kit (12" - 23" H)
Canopy Depth-Height	No. of Fan Speeds	3
Ducting	Motor Class	PRO 600 Metal Implellers
Type	Display	
Duct Size	Controls	Slider with LED Indicator
Lighting	Other	
Type	ADA Compliant	With Separate Wall Switch
# of Bulbs	Power Cord Included	Yes
Grease Filters		
Filter Type		
Dishwasher Safe		
Stainless Steel Baffle		
Yes		
CFMRED CFM Reducer Kit 300 CFM		
CFMRED2* CFM Reducer Kit 400 CFM		
WIREBOX Fixed Wiring Box		
MUDAMPER6 6" Make-up Air Kit		
MUDAMPER8 8" Make-up Air Kit		
MUDAMPER10 10" Make-up Air Kit		
DUCTGRT30 Ductless Vent Grate Recirc. Kit 30 (Adds 4" Height)		
DUCTGRT36 Ductless Vent Grate Recirc. Kit 36 (Adds 4" Height)		
FILTER1 Replacement Charcoal Filter Kit (2 x 1200 CFM)		
FILTER1LL2 Long Lasting Charcoal Filter Kit (2 x 1200 CFM)		



LEVANTE
TIMELESS,
COMFORTABLE,
VERSATILE

The simplicity that makes you love it and the ease of use that improves everyday life, with the certainty of constant and enduring reliability.

Levante range hoods are also easy to clean and that satisfies all practical requirements while being remarkably effective in neutralizing fumes, vapors, and odors in the kitchen, making the environment even more comfortable.




LEVANTE II

MODEL	SIZE/MATERIAL	MOTOR CLASS
LEVT30SS395	30" Stainless Steel	395 CFM PRO
LEVT36SS395	36" Stainless Steel	395 CFM PRO

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		FILTER5 Charcoal Filter Kit REMORIG Wireless Remote Control
Canopy Depth-Height	21" D x 5 ½" H	No. of Fan Speed	4	
Ducting		Motor Class	395 CFM	
Type	Ducted/Ductless	Energy-Efficient Motor	Yes	
Top Vent	Vari-Duct 7" Round, 3 ¼" x 10" Rectangle	Display		
Rear Vent	Vari-Duct 3 ¼" x 10" Rectangle	Controls	Electronic with White LED	
Lighting		Intensive Speed Delay Shut-off	10 Minutes 15 Minutes	
Type	Eneergy-Efficient LED	Other		
# of Bulbs	Two - 5 Watt - 1 Level	ADA Compliant	With Remote Control	
Grease Filters		Remote Control	Purchase Separately	
Filter Type	Stainless Steel Mesh	Fixed Wiring Box	Yes	
Dishwasher Safe	Yes			

84 / FABER




LEVANTE G

MODEL	SIZE/MATERIAL	MOTOR CLASS
LEVG24SS300	24" Stainless Steel	300 CFM
LEVG30SS300	30" Stainless Steel	300 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		FILTER5 Charcoal Filter Kit
Canopy Depth-Height	21" D x 5 ½" H	No. of Fan Speeds	4	
Ducting		Motor Class	300	
Type	Ducted/Ductless	Energy-Efficient Motor	Yes	
Top Vent	Vari-Duct 7" Round, 3 ¼" x 10" Rectangle	Display		
Rear Vent	Vari-Duct 3 ¼" x 10" Rectangle	Controls	Electronic Push Button	
Lighting		Intensive Speed	10 Minutes	
Type	Halogen	Other		
# of Bulbs	Two - 35 Watt 1 Level	ADA Compliant	No	
Grease Filters		Fixed Wiring Box	Yes	
Filter Type	Mesh			
Dishwasher Safe	Yes			

FABER / 8




NEW LEVANTE E

MODEL	SIZE/MATERIAL	MOTOR CLASS
LEVE24SS200	24" Stainless Steel	200 CFM
LEVE24WH200	24" White	200 CFM
LEVE30SS200	30" Stainless Steel	200 CFM
LEVE30WH200	30" White	200 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		FILTER8 Charcoal Filter Kit
Canopy Depth-Height	21" D x 5 ½" H	No. of Fan Speeds	2	
Ducting		Motor Class	200	
Type	Ducted/Ductless	Energy-Efficient Motor	Yes	
Top Vent	Vari-Duct 7" Round, 3 ¼" x 10" Rectangle	Display		
Rear Vent	Vari-Duct 3 ¼" x 10" Rectangle	Controls	Rocker Switch	
Lighting		Other		
Type	Incandescent	ADA Compliant	With Separate Wall Switch	
# of Bulbs	One - 40 Watt - 1 Level	Fixed Wiring Box	Yes	
Grease Filters				
Filter Type	Mesh			
Charcoal Filter	One Included			
Dishwasher Safe	Yes			

86 / FABER

One of the most affordable and powerful stainless steel professional style range hood.



NOTE: SHOWN WITH OPTIONAL CHIMNEY



OSTRO

MODEL	SIZE/MATERIAL	MOTOR CLASS
OSTR30SS400	30" Stainless Steel	400 CFM
OSTR36SS400	36" Stainless Steel	400 CFM

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		TELEMAES Telescopic Chimney Kit (12"-23" H) FULL30 Full Width Cover 30 SS (12"H) FULL36 Full Width Cover 36 SS (12"H) CFMRED2 CFM Reducer Kit 400 CFM to 300 CFM WIREBOX Fixed Wiring Box MUDAMPER6 6" Make-up Air Kit MUDAMPER8 8" Make-up Air Kit DUCTGRT30 Ductless Vent Grate Recirc Kit 30 (Adds 4" Height) DUCTGRT36 Ductless Vent Grate Recirc Kit 36 (Adds 4" Height) FILTER1 Replacement Charcoal Filter Kit FILTERILL2 Long Lasting Charcoal Filter Kit
Canopy Depth-Height	23" D x 10" H	No. of Fan Speeds	4	
Ducting		Motor Class	400	
Type	Ducted/Ductless	Energy-Efficient Motor	Yes	
Duct Size	Vari-Duct 6" Round Top or Rear Vent	Display		
Lighting		Controls	Electronic Push Button	
Type	Halogen	Intensive Speed	10 Minutes	
# of Bulbs	Two - 35 Watt - 1 Level	Other		
Grease Filters		ADA Compliant	No	
Filter Type	Stainless Steel Baffle	Power Cord Included	Yes	
Dishwasher Safe	Yes			



INTEGRATED HOODS

NEW	FLEXA	90
	CRISTAL	93




FLEXA STREAMLINED LOOK, SEAMLESS OPERATION

The integrated Flexa slide out hood is ideal for bringing a streamlined, minimalistic look to your kitchen. Its sleek stainless steel pull-out visor slides easily into place when in use, then neatly tucks away when not in use. For a customized look, the front strip can be replaced with material that matches the kitchen cabinetry.

The Easy Snap system with internal self-latching clips will have this range hood installed in no time at all.



Stainless Steel pull-out visor slides in, neatly tucking the hood away. For a customized look, the front strip can be replaced with material to match kitchen.



NOTE: 24" MODEL SHOWN

NEW FLEXA

MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

FLEX24SS300	24" Stainless Steel	300 CFM
FLEX30SS300	30" Stainless Steel	300 CFM




FEATURES	PERFORMANCE	ACCESSORIES
----------	-------------	-------------

Dimensions		Motor	
Cabinet Cut Out		No. of Fan Speeds	3
24"	19 ¾" W x 10 ⅜" D	Motor Class	300
30"	23 ⅞" W x 10 ⅜" D		
Ducting		Auto-On/Off	Fan and Lights Activate When Pulled-out and Pushed-In
Type	Ducted/Ductless With FILTER7		
Duct Size	5" RoundTop Vent	Display	
Lighting		Controls	Slider
Type	Energy-Efficient LED	Other	
# of Bulbs	Two - 4 Watt - 1 Level	ADA Compliant	With Separate Wall Switch
Grease Filters		Power Cord Included	Yes
Filter Type	Mesh		
Dishwasher Safe	Yes		
Easy Snap Clip Installation	Clips Included		

FILTER7
Charcoal Filter Kit

A seamless integrated range hood. Easy to install, powerful and energy-efficient.



CRISTAL

MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

CRIS30SS600	30" Stainless Steel	600 CFM
CRIS36SS600	36" Stainless Steel	600 CFM
CRIS30SS400	30" Stainless Steel	400 CFM
CRIS36SS400	36" Stainless Steel	400 CFM
CRIS30SS300	30" Stainless Steel	300 CFM
CRIS36SS300	36" Stainless Steel	300 CFM



FEATURES	PERFORMANCE	ACCESSORIES
----------	-------------	-------------

Dimensions		Motor	
Cabinet Cut Out		No. of Fan Speeds	3
30"	25 ⅞" W x 10" D	Motor Class	300/400/600
36"	31 ⅞" W x 10" D		
Ducting		Auto-On/Off	Fan and Lights Activate When Pulled-out and Pushed-In
Type	Ducted/Ductless With FILTER1/FILTER1LL2		
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	Energy-Efficient Motor	Yes
Lighting		Display	
Type	Energy-Efficient LED	Controls	Slider
# of Bulbs	Two - 5 Watt - 1 Level	Other	
Grease Filters		ADA Compliant	With Separate Wall Switch
Filter Type	Mesh	Power Cord Included	Yes
Dishwasher Safe	Yes		
Easy Snap Clip Installation	Clips Included		

FILTER1
Charcoal Filter Kit

FILTER1LL2
Long Lasting Charcoal Filter Kit

MUDAMPER6
6" Make-up Air Kit

MUDAMPER8
8" Make-up Air Kit

WIREBOX
Fixed Wiring Box





DOWN DRAFT HOODS

SCIROCCO LUX	96
SCIROCCO PLUS	97

DOWN DRAFT

DOWN DRAFT

Positioned next to the cooktop this downdraft hood is in the ideal place for efficient extraction. Additionally, the LED light bar illuminates the cooking area in front of the Scirocco Lux when in use.




SCIROCCO LUX

MODEL	SIZE/MATERIAL	MOTOR CLASS
SCLX3015BKNB-B	30" Blk Glass w/SS	No Blower
SCLX3615BKNB-B	36" Blk Glass w/SS	No Blower


BLOWERS	
IBDD600-B	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM - Requires WIREBOXSCLX
RB1200	Remote Blower 1200 CFM - Requires WIREBOXSCLX
AXP250	In-Line Blower 735 CFM - Requires WIREBOXSCLX & FLANGE10

FEATURES		PERFORMANCE		ACCESSORIES	
Ducting		Motor		MUDAMPER6 6" Make-up Air Kit	
Type	Ducted/Ductless with DUCTSCIR	No. of Fan Speeds	4	MUDAMPER8 8" Make-up Air Kit	
Duct Size	Vari-Duct - 6" Round Internal 10" Round Remote	Motor Class	PRO - 3 Options	MUDAMPER10 10" Make-up Air Kit	
Multiple Ducting	Yes	Perimeter Aspiration	Yes	DUCTSCIR Ductless Conversion Kit	
Lighting		Display		REMORIG Wireless Remote Control	
Type	Energy-Efficient LED	Controls	Electronic Soft Touch Controls	WIREBOXSCLX Wire Box for Remote & In-Line Blowers	
# of Bulbs	Light Bar - 2 Level	Intensive Speed	10 Minutes	CFMRED CFM Reducer Kit 300 CFM	
Grease Filters		Delay Shut-off	30 Minutes	CFMRED2 CFM Reducer Kit 400 CFM	
Filter Type	Mesh	Other		FLANGE10 Required for AXP250	
Dishwasher Safe	Yes	ADA Compliant	With Remote Control Purchase Separately	FLANGE3 10" Round to 3 1/4" x 10" Flange	
Anti-Pollution Mode	24 Hour	Remote Control		MUDAMPER10 for use with 900/1200 CFM motors. WIREBOXSCLX Required for SCLX with external blowers	
		Power Cord Included	Yes		



The Scirocco Plus down draft hood boasts an elegant and discreet design as well as excellent extraction technology.

Designed to be built into the counter top, this downdraft hood is completely hidden.



SCIROCCO PLUS

MODEL	SIZE/MATERIAL	MOTOR CLASS
SCIR3014SSNB-B	30" Stainless Steel	No Blower
SCIR3614SSNB-B	36" Stainless Steel	No Blower

BLOWERS	
IBDD600-B	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (Requires FLANGE10)

FEATURES		PERFORMANCE		ACCESSORIES	
Ducting		Speed		MUDAMPER6 6" Make-up Air Kit	
Type	Ducted/Ductless with DUCTSCIR	No. of Fan Speeds	Variable	MUDAMPER8 8" Make-up Air Kit	
Duct Size	Vari-Duct - 6" Round Internal 10" Round Remote	Motor Class	PRO - 3 Options	MUDAMPER10 10" Make-up Air Kit	
Multiple Ducting	Yes	Reversible Motor	Yes	DUCTSCIR Ductless Conversion Kit	
Lighting		Display		CFMRED CFM Reducer Kit 300 CFM	
Type	N/A	Controls	Variable Speed Slider with On/Off Button	CFMRED2 CFM Reducer Kit 400 CFM	
Grease Filters		Auto-Off	Yes	FLANGE10 Required for AXP250	
Filter Type	Stainless Steel Mesh	Other		FLANGE3 10" Round to 3 1/4" x 10" Flange	
Dishwasher Safe	Yes	Fixed Wiring Box	Yes	MUDAMPER10 for use with 900 / 1200 CFM motors	



ICONIC HOODS

ZOOM	100
CHOLE	104
CYLINDRA	106
CYLINDRA ISOLA	107



ZOOM UP AND DOWN MOTION RANGE HOOD

The Zoom island hood features the unique Faber Up & Down technology that brings the hood towards the cooktop during cooking and raises it back to the ceiling when finished.

Comprised of stainless steel with LED lights, the Zoom island hood is a sophisticated and powerful addition to the kitchen.

Choose the Zoom Island Hood (ZOOMIS16SS400-B) by itself or Zoom Island Hood plus Ceiling Light Fixture (ZOOMIL16SS400).

Vanilla or Oceana shades kits pair with the (ZOOMIL16SS400).






Note: Shown with Vanilla shade kit



TECHNOLOGY IN CYLINDRICAL FORM
The Zoom island hoods were created to represent the perfect integration of design and well-being. The design is absolutely extraordinary and astounds the observer due to its ability to revolutionize the concept of cooktop hood lighting, transforming it into a real point of light for the kitchen area. The products are technologically advanced and perfectly shaped, offering freedom of movement within the cooking zone. In a simple movement, elegance becomes functionality.



ZOOM




MODEL	SIZE/MATERIAL	MOTOR CLASS
ZOOMIL16SS400	16" Stainless Steel	400 CFM - With Ceiling Light Fixture
ZOOMIS16SS400-B	16" Stainless Steel	400 CFM - Cylinder Only

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	FILTER1 Replacement Charcoal Filter Kit
Ceiling Height		No. of Fan Speeds	5
ZOOMIL	8" Min. - 9" Min.	Motor Class	400
ZOOMIS	7" Min. - 9" Min.	Perimeter Aspiration	Yes
Ducting		Up/Down Technology	Yes
Type	Recirculating	Display	
Duct Size	Ductless Charcoal filters included	Controls	LED Digital
Lighting		Intensive Speed	10 Minutes
Type	Energy-Efficient LED	Delay Shut-off	30 Minutes
# of Bulbs		Other	
ZOOMIL	Four - 1 Watt - 1 Level	ADA Compliant	With Remote Control Included
ZOOMIS	Four - 1 Watt - 1 Level	Remote Control	Included
Grease Filters		Fixed Wiring Box	Yes
Filter Type	Mesh		
Dishwasher Safe	Yes		
Anti-Pollution Mode	24 Hour		

FILTER1LL2
Long Lasting Charcoal Filter Kit

VANILLA-SH
Vanilla Glass Shade
Use With ZOOMIL16SS400

OCEANA-SH
Oceana Stainless Shade
Use With ZOOMIL16SS400



The Chloe combines innovative technology with a rustic style. The Faber extraction technology, Perimeter Aspiration, means that Chloe is a reliable addition to the kitchen. With the ability to be ducted or used in recirculating mode, the Chloe would make a stunning addition to any kitchen design.

CHLOE




MODEL	SIZE/MATERIAL	MOTOR CLASS
CHLO28BK600	28" Painted Black	600 CFM
CHLO36BK600	36" Painted Black	600 CFM

FEATURES		PERFORMANCE	ACCESSORIES
Dimensions		Motor	FILTER1 Charcoal Filter Kit
Ceiling Height	See page 111	No. of Fan Speeds	4
Canopy Depth-Height	13 3/4" D x 12 5/8" H	Motor Class	600
Ducting		Perimeter Aspiration	Yes
Type	Ducted/Ductless With FILTER1/FILTER1LL2	Energy-Efficient Motor	Yes
Duct Size	Vari-Duct 6" Top or Rear Vent	Display	
Lighting		Controls	LED Digital
Type	LED Light Bar	Intensive Speed	10 Minutes
# of Bulbs	One 3 Watt - 2 level	Other	
Light Dimmer	Yes	ADA Compliant	With Remote Control Purchase Separately
Grease Filters		Remote Control	
Filter Type	Mesh	Fixed Wiring Box	Yes
Dishwasher Safe	Yes		
Filter Wash Alarm	Yes		
			FILTER1LL2 Long Lasting Charcoal Filter Kit
			CHIMCHBK Black Chimney Kit (14 15/16" x 29 9/16"H)
			CFMRED CFM Reducer Kit 300 CFM
			CFMRED2 CFM Reducer Kit 400 CFM
			REMORIG Wireless Remote Control
			MUDAMPER6 6" Make-up Air Kit
			MUDAMPER8 8" Make-up Air Kit
			MUDAMPER10 10" Make-up Air Kit



This beautiful stainless steel Cylindra wall hood features energy-saving LED lighting to illuminate the cooktop below.

Alongside four extraction settings, the Cylindra also includes an intensive speed function to boost extraction power. The Perimeter Aspiration technology helps to reduce the hood's noise and increase extraction efficiency.



CYLINDRA



MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

CYLN15SS600	15" Stainless Steel	600 CFM PRO
-------------	---------------------	-------------


FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		FILTER2 Charcoal Filter Kit CFMRED CFM Reducer Kit 300 CFM CFMRED2 CFM Reducer Kit 400 CFM REMORIG Wireless Remote Control MUDAMPER6 6" Make-up Air Kit MUDAMPER8 8" Make-up Air Kit
Ceiling Height	See page 111	No. of Fan Speeds	4	
Ducting		Motor Class	PRO 600 Metal Impellers	
Type	Ducted/Ductless with FILTER2	Perimeter Aspiration	Yes	
Duct Size	Vari-Duct 6" Round Top	Display		
Lighting		Controls	LED Digital	
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	
# of Bulbs	Two - 1 Watt - 2 level	Other		
Grease Filters		ADA Compliant	With Remote Control	
Filter Type	Mesh	Remote Control	Purchase Separately	
Dishwasher Safe	Yes	Fixed Wiring Box	Yes	
Anti-Pollution Mode	24 Hour			
Filter Wash Alarm	Yes			

106 / FABER



With a cylindrical body which is mounted directly to the ceiling, the Cylindra Isola is a slim line, modern design cooker hood that is perfect for island kitchen designs.

Two LED lights are fitted to the hood to light up the cooktop perfectly and a remote control is available as an accessory to provide maximum ease of use.



CYLINDRA ISOLA

MODEL	SIZE/MATERIAL	MOTOR CLASS
-------	---------------	-------------

CYLNIS15SS600	15" Stainless Steel	600 CFM PRO
---------------	---------------------	-------------

FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Speed		FILTER2 Charcoal Filter Kit CFMRED CFM Reducer Kit 300 CFM CFMRED2 CFM Reducer Kit 400 CFM REMORIG Wireless Remote Control MUDAMPER6 6" Make-up Air Kit MUDAMPER8 8" Make-up Air Kit
Ceiling Height	See page 111	No. of Fan Speeds	4	
Ducting		Motor Class	PRO 600 Metal Impellers	
Type	Ducted/Ductless with FILTER2	Perimeter Aspiration	Yes	
Duct Size	Vari-Duct 6" Round Top	Display		
Lighting		Controls	LED Digital	
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	
# of Bulbs	Two - 1 Watt - 2 level	Other		
Grease Filters		ADA Compliant	With Remote Control	
Filter Type	Mesh	Remote Control	Purchase Separately	
Dishwasher Safe	Yes	Fixed Wiring Box	Yes	
Anti-Pollution Mode	24 Hour			
Filter Wash Alarm	Yes			

FABER / 10

Model #	Item Description	Includes	Models Compatible with
BAFFLE2	30" Baffle Grease Filter	(2) Stainless Baffle Filters	Glassy Isola, Tender
BAFFLE3	36" Baffle Grease Filter	(3) Stainless Baffle Filters	Tender
CFMRED	CFM Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrale 10, Maestrale 18, Scirocco Plus, Scirocco Lux,
CFMRED2	CFM Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrale 10, Maestrale 18, Ostro, Scirocco Plus, Scirocco Lux,
CHIM2224	SS Chimney Kit 36" - 8 - 9 feet	Chimney And Hardware	Camino Pro 36 ONLY
CHIM2248	SS Chimney Kit 36" - 9 - 11 feet	Chimney And Hardware	Camino Pro 36 ONLY
CHIM3424	SS Chimney Kit 48" - 8 - 9 feet	Chimney And Hardware	Camino Pro 48 ONLY
CHIM3448	SS Chimney Kit 48" - 9 - 11 feet	Chimney And Hardware	Camino Pro 48 ONLY
CHIMCHBK	Black Chimney Kit	Chimney And Hardware	Chloe BK
DUCT2	Ductless Kit	Chimney, Diverter, Vent Grids, Charcoal	Bella Isola, Dama Isola, Glassy Isola
DUCT4	Ductless Kit	Charcoal, Diverter	Bella, Dama, Stilo, Tratto
DUCT5	Ductless Kit	Charcoal, Diverter	Nova Pro
DUCTCLPL	Ductless Kit	Charcoal, Diverter	Classica Plus
DUCTTNDR	Ductless Kit	Charcoal, Diverter	Tender
DUCTDIAM	Ductless Kit	Chimney, Diverter, Grids, Charcoal	Diamante
DUCTGRT30	Ductless Kit	Ss Box With Grills, Charcoal	Maestrale 10, Maestrale 18, Ostro
DUCTGRT36	Ductless Kit	Ss Box With Grills, Charcoal	Maestrale 10, Maestrale 18, Ostro
DUCTSCIR	Ductless Kit	Transition Box, Kick Plate, Charcoal	Scirocco Lux, Scirocco Plus
FILTER1	Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom
FILTER1ILL2	Long Lasting Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom
FILTER2	Charcoal Filter	Charcoal	Bella, Bella Isola, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, Stilo, Tratto
FILTER4	Charcoal Filter	Charcoal	Inca Smart GR / SS 240 cfm
FILTER5	Charcoal Filter	Charcoal	Levante G, Levante 2
FILTER7	Charcoal Filter Round Flexa	Charcoal	Flexa
FILTER8	Charcoal Filter Levante E	Charcoal	Levante E
FLANGE10	Duct Plate	10" Duct plate	High-Light, Scirocco Lux, Scirocco Plus, Stratus
FLANGE3	3 1/4 x 10" transition	10" Round to 3 1/4" x 10" Rectangle Flange	High-Light, Scirocco Lux, Scirocco Plus, Stratus
FULL30	30" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro

Model #	Item Description	Includes	Models Compatible with
FULL36	36" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro
FULL48	48" Full Width Chimney	Chimney And Hardware	Maestrale 18
HIGH2	High Ceiling Chimney Kit	1 Tall Upper Chimney And Internal Structure	Bella Isola, Dama Isola, Glassy Isola
HIGH3	High Ceiling Chimney Kit	2 Tall Chimneys	Bella, Dama, Nova Pro, Stilo, Tratto
HIGHCLPL	High Ceiling Chimney Kit	2 Tall Chimneys	Classica Plus
HIGHDIAM	High Ceiling Chimney Kit	1 Tall Upper Chimney	Diamante
HIGHTNDR	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender
INLBKIT	In-Line Blower Kit	10" Duct Plate With Wiring Box	Inca Pro Plus
LINE30ST	Standard Liner 30"	Liner With Hardware	Inca HC 29, Inca In Light 28, Inca Lux 28, Inca SD 29, Inca Smart 28
LINE36PT	Pro Liner 36"	Liner With Hardware	Inca HC 35, Inca In Light 35, Inca Lux 35, Inca SD 35
LINE36ST	Standard Liner 36"	Liner With Hardware	Inca HC 29 ,Inca In Light 28, Inca Lux 28, Inca SD 29, Inca Smart 28
LINSPT301228	Self Supporting Liner 30 x 12	30" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28, Inca In Light 28, Inca Lux 28
LINSPT361228	Self Supporting Liner 30 x 12	36" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28, Inca In Light 28, Inca Lux 28
MUDAMPER10	10" Make Up Air Damper	Damper, Switch And Transformer	High-Light, Inca Pro Plus, Maestrale 18, Scirocco Lux, Scirocco Plus, Stratus, Camino Pro
MUDAMPER6	6" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto,
MUDAMPER8	8" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto,
OCEANA-SH	Oceana stainles steel shade	Shade	Zoom IL Only
REMORIG	Wireless Remote Control	Remote Control	Bella, Bella Isola, Chloe, Classica Plus, Cylindra, Cylindra Isola, Dama, Dama Isola, Glassy Isola, Inca HC, Inca Lux, Inca SD, Levante II, Nova Pro, Scirocco Lux, Stilo, Tender, Tratto
TELEMAES	Telescopic Chimney Kit	2 Chimneys With Hardware	Maestrale 10, Maestrale 18, Ostro
TRNSPRO	10" Ducting Transition	Galvanized Metal Transition	Maestrale 18
VANILLA-SH	Vanilla glass shade	Shade	Zoom IL Only
WIREBOX	Fixed Wiring Box	Wiring Box With Hood Cabling	Bella, Classica Plus, Cristal, Dama, Inca HC, Inca Lux, Inca In Light, Inca SD, Inca Smart, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stilo, Tender, Tratto
WIREBOXSCLX	Fixed Wire Box (Rb Only)	Wiring Box With Hood Cabling	Scirocco Lux

CEILING MINIMUM / MAXIMUM HEIGHTS

INDEX

	Ducted Minimum 24" OFF	Ducted Maximum 30" OFF	Recirculating Minimum 24" OFF	Recirculating Maximum 30" OFF	High Ceiling Minimum 24" OFF	High Ceiling Maximum 30" OFF
WALL CHIMNEY						
Bella	7' 9 1⁄16"	9' 2 1⁄8"	7' 9 1⁄16"	9' 2 1⁄8"	8' 9 3⁄8"	11' 5⁄8"
Chloe*	7' 2 3⁄8"	8' 8 3⁄16"	7' 2 3⁄8"	8' 8 3⁄16"	N/A	N/A
Camino 24" tall *	7' 7"	8' 11 7⁄8"	7' 7"	8' 11 7⁄8"	N/A	N/A
Camino 48" tall *	8' 1"	10' 11 7⁄8"	8' 1"	10' 11 7⁄8"	N/A	N/A
Classica Plus	7' 5 9⁄16"	9' 5 1⁄4"	7' 9 1⁄16"	9' 5 1⁄4"	8' 11 1⁄16"	11' 8 1⁄16"
Cylindra	7' 11 1⁄16"	8' 5 1⁄16"	7' 11 1⁄16"	8' 5 1⁄16"	N/A	N/A
Dama	7' 2 5⁄16"	9' 1⁄16"	7' 7 1⁄16"	9' 1⁄16"	9' 1 9⁄16"	11' 2 5⁄8"
Diamante	7' 5 3⁄4"	8' 9 3⁄4"	7' 11 3⁄8"	8' 10 1⁄2"	9' 4 3⁄8"	10' 8 5⁄8"
Nova Pro	7' 5"	8' 11 3⁄8"	7' 5"	8' 11 3⁄8"	9' 3⁄8"	11' 8 7⁄8"
Stilo	7' 8 1⁄16"	9' 3⁄4"	7' 8 1⁄16"	9' 3⁄4"	8' 9 3⁄8"	11' 3⁄16"
Tender	7' 7 1⁄2"	9' 10 3⁄4"	8' 2 3⁄16"	9' 10 3⁄4"	9' 6 1⁄16"	11' 4 1⁄2"
Tratto	7' 8 1⁄8"	9' 3⁄16"	7' 8 1⁄8"	9' 3⁄16"	8' 8 1⁄16"	11' 3⁄16"
ISLAND CHIMNEY						
Bella Isola	7' 5 3⁄8"	8' 11 3⁄8"	7' 9 3⁄4"	8' 11 3⁄8"	9' 8 7⁄8"	10' 6 13⁄16"
Cylindra Isola	7' 6 5⁄16"	8' 11 13⁄16"	7' 10 1⁄4"	8' 11 13⁄16"	N/A	N/A
Dama Isola	7' 8 1⁄4"	9' 3"	8' 5⁄8"	9' 3"	10' 3⁄16"	10' 10 1⁄8"
Glassy Isola	7' 4 5⁄8"	8' 10 5⁄8"	7' 9"	8' 10 5⁄8"	9' 8 1⁄8"	10' 6 1⁄16"

	Ducted Minimum 35" OFF	Ducted Maximum 72" OFF	Recirculating Minimum 35" OFF	Recirculating Maximum 72" OFF	High Ceiling Minimum N/A	High Ceiling Maximum N/A
CEILING HOOD						
High Light Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A
Stratus Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A

NOTE: All minimums at 24" off the stove, maximums at 30" off the stove
NOTE: *Chloe & Camino include Chimney Duct Cover Accessory (sold separately)
NOTE: Island Hoods can be adjusted to lower min. Refer to specific model's U&C Guide.
NOTE: For planning purposes only, see install instructions for final heights

Part #	Page
AXP250	51, 55, 69, 96, 97
BAFFLE2	44, 59
BAFFLE3	44
BELA30SS600-B	30
BELA36SS600-B	30
BELAIS36SS600-B	57
BELAIS42SS600-B	57
BELAIS48SS600	57
CAPR36SS1200	79
CAPR36SS600	79
CAPR48SS1200	79

CFMRED	30, 31, 57, 79, 80, 81, 96, 97, 105, 106,107
CFMRED2	30, 31, 57, 79, 80, 81, 87, 96, 97, 105, 106, 107

CHIM2224	79
CHIM2248	79
CHIM3424	79
CHIM3448	79
CHIMCHBK	105
CHLO28BK600	105
CHLO36BK600	105
CLPL30SSV	43
CLPL36SSV	43
CRIS30SS300	93
CRIS30SS400	93
CRIS30SS600	93
CRIS36SS300	93
CRIS36SS400	93
CRIS36SS600	93
CYLN15SS600	106
CYLNIS15SS600	107
DAMA30SSV	35
DAMA36SSV	35
DAM AIS36SSV	56
DAM AIS42SSV	56
DIAM30SS	31
DIAM36SS	31
DIAM48SS	31
DUCT2	56, 57, 59
DUCT4	29, 30, 35, 45
DUCT5	39
DUCTCLPL	43
DUCTDIAM	31

Part #	Page
DUCTGRT30	80, 81, 87
DUCTGRT36	80, 81, 87
DUCTSCIR	96, 97
FILTER1	39, 43, 44, 51, 55, 64, 65, 69, 72, 73, 74, 79, 80, 81, 87, 93, 103, 105
FILTER1LL2	39, 43, 44, 51, 55, 64, 65, 69, 72, 73, 74, 79, 80, 81, 87, 93, 103, 105

FILTER2	29, 30, 31, 35, 45, 56, 57, 59, 106, 107
FILTER4	74, 75
FILTER5	84, 85
FILTER7	92
FILTER8	86
FLANGE10	51, 55, 96, 97
FLANGE3	51, 55, 96, 97
FLEX24SS300	92
FLEX30SS300	92
FULL30	80, 81, 87
FULL36	80, 81, 87
FULL48	80, 81
GLASIS36SSV	59
HIGH2	56, 57, 59
HIGH3	29, 30, 35, 39, 45
HIGHCLPL	43
HIGHDIAM	31
HIGHTNDR	44
HILTIS36SSNB	55
HILTIS36WHNB	55

IB1200	69
IB300	51, 55, 69
IB400	51, 55, 69
IB600	51, 55, 69
IBDD600-B	96, 97
INHC29SSV	64
INHC35SSV	64
INLBKIT	69
INLT21SSV	72
INLT28SSV	72
INLT35SSV	72
INLX21SSV	73
INLX28SSV	73
INLX35SSV	73
INPL3019SSNB-B	69

Part #	Page
INPL3619SSNB-B	69
INPL3622SSNB-B	69
INPL4219SSNB-B	69
INPL4819SSNB-B	69
INPL4822SSNB-B	69
INS D29SSV	65
INS D35SSV	65
INSM21GR240	75
INSM28GR240	75
INSP28SS240	74
INSP28SS400	74
INSP28SS600	74
LEVE24SS200	86
LEVE24WH200	86
LEVE30SS200	86
LEVE30WH200	86
LEV G24SS300	85
LEV G30SS300	85
LEV T30SS4395	84
LEV T36SS4395	84
LINE30ST	64, 65, 72, 73, 74, 75
LINE36PT	64, 65, 72, 73,
LINE36ST	64, 65, 72, 73, 74, 75
LINSPT301228	72, 73, 74, 75
LINSPT361228	72, 73, 74, 75
MAES3010SS600-B	81
MAES3018SS600-B	80
MAES3610SS600-B	81
MAES3618SS1200-B	80
MAES3618SS600-B	80
MAES4818SS1200-B	80

MUDAMPER10	51, 55, 69, 79, 80, 81, 96, 97, 105
------------	-------------------------------------

MUDAMPER6	29, 30, 31, 35, 39, 43, 44, 45, 51, 55, 56, 57, 59, 64, 65, 69, 72, 73, 79, 80, 81, 87, 93, 96, 97, 105, 106, 107
-----------	---

MUDAMPER8	29, 30, 31, 35, 39, 43, 44, 45, 51, 55, 56, 57, 59, 64, 65, 69, 72, 73, 79, 80, 81, 87, 93, 96, 97, 105, 106, 107
NOPR30SSV	39
NOPR36SSV	39

Part #	Page
OCEANA-SH	103
OSTR30SS400	87
OSTR36SS400	87
RB1200	51, 55, 69, 96, 97
RB900	51, 55, 69, 96, 97
REMORIG	29, 30, 35, 39, 43, 44, 45, 56, 59, 64, 65, 73, 84, 96, 105, 106, 107
SCIR3014SSNB-B	97
SCIR3614SSNB-B	97
SCLX3015BKNB-B	96
SCLX3615BKNB-B	96
STIL24SSV2	29
STIL30SSV2	29
STIL36SSV2	29
STIL48SSV2	29
STRTIS36SSNB	51
STRTIS36WHNB	51
STRTIS48SSNB	51
STRTIS48WHNB	51
TELEMAES	80, 81, 87
TEND30SSV	44
TEND36SSV	44
TRAT30SSV	45
TRAT36SSV	45
TRNSPRO	80, 81
VANILLA-SH	103
WIREBOX	29, 30, 35, 39, 43, 44, 45, 64, 65, 72, 73, 74, 80, 81, 87, 93
WIREBOXSCLX	96
ZOOMIL16SS400	103
ZOOMIS16SS400-B	103

FRANKE HOME SOLUTIONS WARRANTY FOR FRANKE AND FABER BRANDED PRODUCT

EFFECTIVE MARCH 1, 2022

In the United States, Canada and Latin America, Franke warrants the Faber branded products from manufacturing defects in material and workmanship when purchased from a Franke or Faber Authorized Retailer pursuant to product-specific warranties detailed herein (each, a “Warranty” and collectively, the “Warranties”). The products must be properly installed, per Franke’s installation instructions, in their original installation, and used in normal indoor residential kitchen applications. Any products or components which have been modified or altered from their original intended condition will void the Warranty. The Franke Warranties for Faber branded products are limited to the original purchaser and are non-transferrable. These Warranties do not include products purchased from non-Authorized Retailers, products that are obsolete or discontinued, or products that were previous display models. All issues with installed products are considered warranty claims and not subject to the Return Policy. Franke reserves the right to inspect any Franke / Faber product reported to be defective pursuant to a Warranty claim and the original installation prior to providing a replacement product and/or component. All decisions are final. In no situation shall the liability of Franke exceed the amount of the original purchase price.

The Warranties do not cover, and Franke shall not be liable for, any damage to products or components resulting from misuse or abuse, accidental damages, normal wear such as scuffs, scratches or finish reduction/ fading, improper installation, abnormal usage, negligence, damage caused by improper maintenance or cleaning. Damage caused by impurities, corrosive chemicals or acts beyond Franke’s control are not covered by any Warranty. Service calls to correct the installation of a range hood, instructions on how to operate a range hood, to replace or repair house fuses or to correct house wiring or plumbing are not covered by any Warranty. Service calls to repair or replace range hood light bulbs, fuses or filters and these consumable part costs are also excluded from Warranty coverage. Installation not in accordance with electrical or plumbing codes or Franke / Faber documentation are not covered by any Warranty. Replacement parts or repair labor costs for units operated outside the United States, Canada or Latin America, including any non-UL or C-UL or non-NOM approved Franke / Faber range hoods are excluded from Warranty coverage. Expenses for travel and transportation for service in remote locations and pickup and delivery charges are not covered by any Warranty. Franke / Faber range hoods should always be serviced in the home in their original installation.

Franke / Faber product replacements do not include liability for project delays. Product replacements are not guaranteed to be exact replacements. If the original product is not available at the time of the warranty claim, at Franke’s option, the product replacements will be of similar size, material, and value. Any products or components which have been modified or altered, from its original intended condition will void the warranty.

The Warranties do not allow recovery of incidental or consequential damages such as loss of use, delay, property damage or other consequential damage, and Franke accepts no liability for such damages. Each Warranty is limited to the conditions set forth herein and to the applicable warranty period specified herein and is exclusive. EXCEPT FOR THE WARRANTIES SET FORTH HEREIN, FRANKE MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE PRODUCTS, INCLUDING, BUT NOT LIMITED TO, (1) ANY WARRANTY OF MERCHANTABILITY, (2) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, (3) WARRANTY OF TITLE, OR (4) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE. LEGAL DISCLAIMER PLEASE READ CAREFULLY. Franke Kitchen Systems LLC provides the above information to you as a public service to our customers. By accessing and using this information, you agree to the following and to comply with all applicable laws. If you do not agree with these terms and conditions, do not use this information. While we try to keep the information current, changes may have occurred since its creation. Contact your Regional Manager or Customer Service to verify information regarding Franke Kitchen Systems LLC programs and their use by you.

TERMS & CONDITIONS

FRANKE / FABER RANGE HOOD LIMITED WARRANTY:

Franke / Faber range hoods are warranted against any defect in materials or workmanship for the original purchaser for a period of two (2) years from the date of original purchase when used in standard residential indoor applications. This warranty covers labor and replacement parts. Franke, at its option, may repair or replace the product or components necessary to restore the product to good working condition.

This warranty supersedes all other warranties, expressed or implied. No employee, field sales representatives, or distribution persons are authorized to give any warranties on behalf of Franke Kitchen Systems, LLC

To make an installed product warranty claim please contact Franke at the provided contact information below. All warranty claims must include the following for processing:

- 1. Proof of purchase from Franke or Faber Authorized Retailer
- 2. Original purchaser’s name, address (included city, state, zip), email address and phone number
- 3. Franke / Faber model and serial number
- 4. Date of installation
- 5. Description of the defect
- 6. Photos of the defect

In North America and Latin America:

Franke Home Solutions
Attn: Warranty Department
800 Aviation Parkway
Smyrna, TN 37167
HS-Warranty.US@Franke.com

Legal Entity:
Franke Kitchen Systems LLC



faberonline.com



Faber
800 Aviation Parkway
Smyrna, TN 37167
faberonline.com

9920579.989 03/2022 - 1.500